




NUTRIPATH • PATIENT REPORT

16 Harker St, Burwood VIC, 3125 • info@nutripath.com.au • 1300 688 522



RCPA
The Royal College of Pathologists of Australasia

NATA Accreditation: #20770



25280-0032

Dr Test Doctor Test Clinic. 123 Test Street, Test Suburb Victoria 3125

Lab ID
Patient ID PAT-100009
Ext ID 25280-0032

Test Patient

Sex: Female • 45yrs • 01-Jan-80
123 Home Street, Test Suburb Vic 3125

RECEIVED
07-Oct-25

Calprotectin

Specimen type - Stool

Collected

05-Oct-25

SERVICE	RESULT	H/L	REFERENCE	UNITS
Calprotectin	74.0	H	(<50.0)	ug/g

GIT Inflammation Comment

CALPROTECTIN BORDERLINE (51-100 ug/g):

A borderline faecal calprotectin level (51–100 ug/g) may reflect mild inflammation or a non-specific increase and is not diagnostic of IBD.

Borderline elevations may be seen in a range of conditions including early or quiescent IBD, gastrointestinal infections, colorectal neoplasia, or as a pharmacological effect of medications such as NSAIDs, aspirin, and proton pump inhibitors (PPIs).

Repeat testing in 4–6 weeks is recommended if clinical suspicion of IBD remains or if symptoms persist. Correlation with history, medication use, and other diagnostic investigations (e.g., colonoscopy, imaging) is essential.

This result may warrant further monitoring.

Methodology

Chemiluminescence Immunoassay (CLIA)