NutriPATH PATHOLOGY • PATIENT REPORT
16 Harker St, Burwood VIC, 3125 • info@nutripath.com.au • 1300 688 522

26114-0301

Dr Test Doctor (Test Doctor) Test Clinic. 123 Test Street, Test Suburb Victoria 3125

Lab ID
Patient ID P000004
Ext ID 26114-0301

Test Patient

Sex: Female • 18yrs • 20-Sep-07
123 Home Street, Test Suburb VIC 3125

RECEIVED
24-Apr-26

Pancreatic Elastase 1

Specimen type - Stool, Spot

Collected
05-Jan-25

SERVICE	RESULT	H/L	REFERENCE	UNITS
Pancreatic Elastase 1	150	L	(>200)	ug/g

GIT Digestion Comment

MODERATE EXOCRINE PANCREATIC INSUFFICIENCY (100-200 ug/g):

A faecal pancreatic elastase level between 100–200 ug/g is suggestive of moderate pancreatic insufficiency.

This intermediate result indicates a reduction in pancreatic enzyme output, which may be sufficient to cause mild to moderate fat malabsorption and gastrointestinal symptoms such as steatorrhea, bloating, or weight loss. Common causes of moderate PEI include chronic pancreatitis, type 1 and advanced type 2 diabetes mellitus, coeliac disease, inflammatory bowel disease, and pancreatic neoplasms.

Repeat testing and correlation with clinical symptoms is recommended.

Methodology

Chemiluminescence Immunoassay (CLIA)

SAMPLE REPORT

NATA Accreditation No. 20770. The current scope of accreditation is available on the NATA website.