



# SAMPLE REPORT

## 09-May-1990 Female

16 HARKER STREET  
BURWOOD VIC 3125

P: 1300 688 522  
E: info@nutripath.com.au

Dr.SAMPLE REPORT  
TEST HEALTH CENTRE  
123 TEST STREET  
BURWOOD VIC 3125

LAB ID : 3814073  
UR NO. :  
Collection Date : 09-May-2022  
Received Date:09-May-2022



3814073


### ENDOCRINOLOGY

BLOOD - SERUM

Result Range Units

#### THYROID FUNCTION TESTS

TSH	5.70 *H	0.50 - 5.00	mIU/L
FREE T4	12.0	11.0 - 21.0	pmol/L
FREE T3	3.4	3.1 - 6.0	pmol/L



#### THYROID TEST COMMENTS

There are differing views regarding reference ranges of TSH. New reference ranges using populations without thyroid disease suggest that the optimal TSH range for thyroid function should be 0.5-2.0mIU/L. However it should be noted that this laboratory shall continue to report a normal reference range of 0.5 - 5.0 mIU/L.

#### FREE T4 and FREE T3

Free T4 and T3 represent bioactive portion of thyroid hormone. The test results can identify functional or subclinical hyper- and hypothyroidism and overt hypo- and hyperthyroidism. T4 converts to active T3 or inactive rT3.

Tests ordered: TFT,IMPEI,CFee

(\*) Result outside normal reference range

(H) Result is above upper limit of reference rang