

P: 1300 688 522
E: info@nutripath.com.au

16 HARKER STREET
BURWOOD VIC 3125

Dr.SAMPLE REPORT
TEST HEALTH CENTRE
123 TEST STREET
BURWOOD VIC 3125

LAB ID : 3814232
UR NO. :
Collection Date : 09-May-2022
Received Date:09-May-2022




3814232

BIOCHEMISTRY

BLOOD - SERUM Result Range Units

IRON STUDIES

Test	Result	Range	Units
IRON	7.2	5.0 - 30.0	umol/L
TRANSFERRIN	2.9	2.0 - 3.6	g/L
Transferrin Saturation	10	10 - 45	%
FERRITIN	86	30 - 200	ng/mL
VITAMIN B12	241	200 - 700	pmol/L
SERUM FOLATE	26	6 - 45	nmol/L



Iron Studies Comment

IRON STUDIES REFERENCE RANGES FOR PREGNANT WOMEN

	Iron umol/L	Ferritin ng/ml	Transferrin g/L	Transferrin Saturation %
1st Trimester (2-13W+6D)	5 - 30	20 - 200	2.0 - 3.8	5 - 45
2nd Trimester 14-27W+6D)	5 - 30	20 - 150	2.0 - 4.8	5 - 35
3rd Trimester (28-41W+6D)	5 - 30	15 - 100	3.0 - 4.8	5 - 35
Gestational Age Unknown	5 - 30	15 - 100	2.0 - 4.8	5 - 45

Please note New Reference Range for Ferritin from April 2019

General Chemistry Comment

Serum Folate Comment:

High/Normal Folate levels do not necessarily reflect adequate levels of 5 MTHF (the most readily useable form of folate in the body).

If the serum Folate level is low, look at the Homocysteine level which will be elevated, whilst MMA levels will be normal.

Further assessments to consider:

Folate Metabolism Profile (THF, Folinic Acid, 5-MTHF), MTHFR gene status.

IMMUNOLOGY

BLOOD - SERUM Result Range Units

Test	Result	Range	Units
INTRINSIC FACTOR AB	Negative		



P: 1300 688 522
E: info@nutripath.com.au

Dr.SAMPLE REPORT
TEST HEALTH CENTRE
123 TEST STREET
BURWOOD VIC 3125

SAMPLE REPORT

09-May-1990 **Female**

16 HARKER STREET
BURWOOD VIC 3125

LAB ID : 3814232
UR NO. :
Collection Date : 09-May-2022
Received Date:09-May-2022



3814232

PARIETAL CELL ANTIBODIES

POSITIVE

COMMENT:

Gastric parietal cell antibodies are associated with > 90% of patients with autoimmune gastritis, the end result of which may be Pernicious Anaemia (PA). 20 - 30% of relatives of patients with PA, autoimmune thyroiditis and a small percentage of healthy persons may be positive and run an increased long term risk of PA.

Gastric parietal cell antibodies can also be found in patients with autoimmune thyroid disorders, insulin dependant diabetes mellitus, and Addisons disease. A negative intrinsic factor antibody result does not exclude the diagnosis of PA as only 60% of patients with PA will have this antibody.

All Immunology tests performed by accredited laboratory NATA: 2133