



**Complete Report** 




		<b>Reaction Class</b>	Direc	tor: Stephen Markus, MD
<b>O</b>	<b>L</b> ow	<b>  </b>	<b>III</b>	<b>IV</b>
Very Low		Moderate	High	Very High



**Complete Report** 




### Fish/Crustacea/Mollusk



		Reaction Class	Direc	tor: Stephen Markus, MD
<b>O</b>	<b>L</b> ow	<b>II</b>	<b>III</b>	<b>IV</b>
Very Low		Moderate	High	Very High


Rye Spelt Wheat White Rice

### Nuts/Seeds





**Complete Report** 



		Reaction Class	Direc	tor: Stephen Markus, MD
<b>0</b>	Low	<b>II</b>	<b>III</b>	<b>IV</b>
Very Low		Moderate	High	Very High



# 144 Food Panel: IgA/IgG Complete Report

								Complete	e Report
			PATIENT \$	Sex: M/F ample Type: DBS		th: YYYY-DD	-MM Ag	<b>je:</b> #	IgA IgG
Collected	I: YYYY	-DD-MM	Receive	d: YYYY-DD-MM	Completed:	YYYY-DD-MI	M		
Physiciar	n: TEST	осто	R		•			CLIA	#: 50D0965661 COLA accredited
Dairy					Egg/Meat/Pou	ultry (Continu	(bou		
Antigen Name	Analyte	Class	Value	Very Low	Antigen Name	Analyte	Class	Value	Very Low
Casein	IgA	Very Low	0.00 mg/L	<b>Range</b> <1.95 mg/L	Chicken Egg White	IgA	Very Low	0.00 mg/L	Range <1.95 mg/L
Casein	lgG	Low	3.27 mg/L	<2 mg/L	Chicken Egg White	lgG	Very Low	1.48 mg/L	<2 mg/L
Cheddar Cheese	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Chicken Egg Yolk	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Cheddar Cheese	lgG	Low	3.12 mg/L	<2 mg/L	Chicken Egg Yolk	lgG	Very Low	0.99 mg/L	<2 mg/L
Cow's Milk	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Duck	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Cow's Milk	lgG	Low	3.82 mg/L	<2 mg/L	Duck	lgG	Very Low	1.45 mg/L	<2 mg/L
Goat's Milk	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Duck Egg Whole	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Goat's Milk	lgG	Very Low	1.88 mg/L	<2 mg/L	Duck Egg Whole	lgG	Very Low	1.62 mg/L	<2 mg/L
Whey	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Goose	IgA	Very Low	0.00 mg/L	<1.95 mg/L <2 mg/L
Whey	lgG	Low	3.55 mg/L	<2 mg/L	Goose Lamb	lgG IgA	Very Low Very Low	1.70 mg/L 0.00 mg/L	<2 mg/L <1.95 mg/L
Vegetables					Lamb	lgG	Very Low	1.61 mg/L	<2 mg/L
Antigen Name	Analyte	Class	Value	Very Low	Pork	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Artichoke	IgA	Low	3.04 mg/L	Range <1.95 mg/L	Pork	lgG	Low	2.06 mg/L	<2 mg/L
Artichoke	lgG	Very Low	10.99 mg/L	<20 mg/L	Rabbit	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Asparagus	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Rabbit	lgG	Very Low	1.67 mg/L	<2 mg/L
Asparagus	lgG	Very Low	4.48 mg/L	<5 mg/L	Turkey	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Avocado	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Turkey	lgG	Low	2.31 mg/L	<2 mg/L
Avocado	lgG	Very Low	1.70 mg/L	<2 mg/L	Herbs/Spices				
Beet	lgA	Very Low	0.00 mg/L	<1.95 mg/L	=	Analista	Class	Value	Very Low
Beet	lgG	Very Low	4.40 mg/L	<6 mg/L	Antigen Name	Analyte	Class	Value	Range
Broccoli / Brussel Sprouts	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Basil	IgA	Low	2.26 mg/L	<1.95 mg/L
Broccoli / Brussel Sprouts	lgG	Very Low	3.82 mg/L	<7.5 mg/L	Basil	lgG	Very Low	9.08 mg/L	<22 mg/L
Cabbage	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Black Pepper	IgA	Very Low	1.94 mg/L	<1.95 mg/L
Cabbage Carrot	lgG	Very Low Very Low	3.35 mg/L 0.00 mg/L	<3.5 mg/L <1.95 mg/L	Black Pepper Chili Pepper	lgG IgA	Very Low Very Low	9.32 mg/L 0.53 mg/L	<15 mg/L <1.95 mg/L
Carrot	lgA IgG	Low	3.36 mg/L	<1.95 mg/L <2 mg/L	Chili Pepper	lgG	Low	2.01 mg/L	<1.95 mg/L <2 mg/L
Cauliflower	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Cinnamon	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Cauliflower	lgG	Low	2.35 mg/L	<2 mg/L	Cinnamon	lgG	Very Low	6.90 mg/L	<8 mg/L
Celery	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Clove	IgA	Low	3.30 mg/L	<1.95 mg/L
Celery	lgG	Very Low	3.07 mg/L	<4 mg/L	Clove	lgG	Low	24.18 mg/L	<24 mg/L
Cucumber	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Coriander	IgA	Low	2.20 mg/L	<1.95 mg/L
Cucumber	lgG	Low	2.68 mg/L	<2 mg/L	Coriander	lgG	Very Low	11.41 mg/L	<12 mg/L
Eggplant	lgA	Very Low	1.87 mg/L	<1.95 mg/L	Curry Powder	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Eggplant	lgG	Very Low	6.06 mg/L	<8 mg/L	Curry Powder	lgG	Very Low	4.26 mg/L	<5 mg/L
Garlic	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Fennel Seed	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Garlic Green Bell Pepper	lgG	Moderate	5.25 mg/L	<2 mg/L	Fennel Seed	lgG	Very Low	3.61 mg/L	<4 mg/L
Green Bell Pepper	lgA IgG	Very Low Low	0.00 mg/L 3.40 mg/L	<1.95 mg/L <2 mg/L	Ginger Ginger	lgA lgG	Very Low Very Low	0.00 mg/L 10.59 mg/L	<1.95 mg/L <12 mg/L
Lettuce	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Mustard	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Lettuce	lgG	Low	3.73 mg/L	<2 mg/L	Mustard	lgG	Very Low	2.44 mg/L	<5 mg/L
Onion	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Oregano	IgA	Very Low	1.71 mg/L	<1.95 mg/L
Onion	lgG	Low	2.63 mg/L	<2 mg/L	Oregano	lgG	Low	6.99 mg/L	<6 mg/L
Pumpkin	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Parsley	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Pumpkin	lgG	Low	2.51 mg/L	<2 mg/L	Parsley	lgG	Very Low	3.84 mg/L	<5 mg/L
Spinach	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Peppermint	IgA	Low	2.50 mg/L	<1.95 mg/L
Spinach	lgG	Low	3.73 mg/L	<2 mg/L	Peppermint	lgG		11.68 mg/L	<15 mg/L
Sweet Potato	lgA	Very Low	0.54 mg/L	<1.95 mg/L	Vanilla	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Sweet Potato	lgG	Low	7.93 mg/L	<7 mg/L	Vanilla	lgG	Very Low	7.69 mg/L	<15 mg/L
Tomato	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Grains				
Tomato White Potato	lgG	Low Very Low	2.33 mg/L	<2 mg/L	Antigen Name	Analyte	Class	Value	Very Low
White Potato White Potato	lgA IgG	Very Low Low	0.00 mg/L 5.65 mg/L	<1.95 mg/L <4 mg/L	-	-			Range
WITTLE FOLALU	iya	LOW	5.05 mg/L	∼+ IIIy/L	Barley	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Egg/Meat/Poultry					Barley Buckwheat	lgG IgA	Moderate Very Low	6.30 mg/L 0.00 mg/L	<2 mg/L <1.95 mg/L
Antigen Name	Analyte	Class	Value	Very Low	Buckwheat	iga IgG	Low	3.58 mg/L	<1.95 mg/L <2 mg/L
	IgA	Very Low	0.00 mg/L	<b>Range</b> <1.95 mg/L	Corn	lgA	Very Low	0.00 mg/L	<1.95 mg/L
	lgG	Low	2.76 mg/L	<2 mg/L	Corn	lgG	Low	4.24 mg/L	<4 mg/L
Chicken	IgA	Very Low	0.00 mg/L	<1.95 mg/L	Gliadin	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Chicken	lgG	Low	2.58 mg/L	<2 mg/L	Gliadin	lgG	High	11.10 mg/L	<2 mg/L



**Complete Report** 

Patient: TEST PATIENT Sex: M/F Accession #: 00000000 Sample Type: DBS

Date of Birth: YYYY-DD-MM Age: #

IgA \_\_\_\_\_ IgG \_\_\_\_\_

CLIA #: 50D0965661 COLA accredited

Collected: YYYY-DD-MM Received: YYYY-DD-MM Completed: YYYY-DD-MM

Physician: TEST DOCTOR

Grains (Continued	i)				Legumes (Conti	nued)			
Antigen Name	Analyte	Class	Value	Very Low Range	Antigen Name	Analyte	Class	Value	Very Low Range
Gluten	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Pinto Bean	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Gluten	lgG	High	10.10 mg/L	<2 mg/L	Pinto Bean	lgG	Low	4.16 mg/L	<4 mg/L
Malt	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Soybean	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Malt	IgG	Very Low	3.72 mg/L	<4 mg/L	Soybean	lgG	Low	2.33 mg/L	<2 mg/L
Millet	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Fish/Crustacea/I	Molluck			
Millet	lgG	Very Low	2.50 mg/L	<4 mg/L			Class	Malua	Very Low
Oat	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Antigen Name	Analyte	Class	Value	Range
Oat	lgG	Moderate	5.61 mg/L	<2 mg/L	Anchovy	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Rye	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Anchovy	lgG	Very Low	1.69 mg/L	<2 mg/L
Rye	lgG	Moderate	12.64 mg/L	<4 mg/L	Catfish	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Spelt	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Catfish	lgG	Very Low	1.61 mg/L	<2 mg/L
Spelt Wheat	lgG	Moderate Very Low	15.33 mg/L 0.00 mg/L	<4 mg/L <1.95 mg/L	Clam	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Wheat	lgA lgG	Very Low	5	<1.95 mg/L <2 mg/L	Clam Cod	lgG	Low	2.21 mg/L	<2 mg/L
White Rice	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Cod	lgA lgG	Very Low Low	0.00 mg/L 2.88 mg/L	<1.95 mg/L
White Rice	lgG	Moderate	4.37 mg/L	<2 mg/L	Crab	lgA	Very Low	2.88 mg/L 0.00 mg/L	<2 mg/L <1.95 mg/L
	ige	moderate	1.57 mg/2	42 mg/2	Crab	lgG	Very Low	2.52 mg/L	<3 mg/L
Nuts/Seeds					Halibut	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Antigen Name	Analyte	Class	Value	Very Low Range	Halibut	lgG	Very Low	0.79 mg/L	<2 mg/L
Almond	IgA	Very Low	0.00 mg/L	<1.95 mg/L	Lobster	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Almond	lgG	Low	3.42 mg/L	<2 mg/L	Lobster	lgG	Low	3.12 mg/L	<2 mg/L
Brazil Nut	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Mackerel	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Brazil Nut	IgG	Low	3.47 mg/L	<2 mg/L	Mackerel	lgG	Low	2.45 mg/L	<2 mg/L
Cashew Nut	lgA	Very Low	0.53 mg/L	<1.95 mg/L	Mussel	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Cashew Nut	lgG	Low	3.05 mg/L	<2 mg/L	Mussel	lgG	Very Low	1.82 mg/L	<2 mg/L
Chestnut	IgA	Very Low	0.00 mg/L	<1.95 mg/L	Octopus	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Chestnut	lgG	Moderate	9.21 mg/L	<4 mg/L	Octopus	lgG	Very Low	1.68 mg/L	<2 mg/L
Coconut	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Oyster	lgA	Very Low	1.11 mg/L	<1.95 mg/L
Coconut	lgG	Low	3.22 mg/L	<2 mg/L	Oyster	lgG	Very Low	11.06 mg/L	<16 mg/L
Hazelnut	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Red Snapper	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Hazelnut	lgG	Low	3.18 mg/L	<2 mg/L	Red Snapper	lgG	Very Low	1.19 mg/L	<2 mg/L
Macadamia Nut	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Salmon	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Macadamia Nut	lgG	Low	2.92 mg/L	<2 mg/L	Salmon	lgG	Low	2.29 mg/L	<2 mg/L
Peanut Peanut	lgA lgG	Very Low Low	0.00 mg/L	<1.95 mg/L <2 mg/L	Sardine Sardine	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Pecan	lgG lgA	Very Low	2.86 mg/L 0.00 mg/L	<1.95 mg/L	Scallop	lgG IgA	Very Low Very Low	0.38 mg/L 0.00 mg/L	<2 mg/L <1.95 mg/L
Pecan	lgA lgG	Low	3.55 mg/L	<1.95 mg/L <2 mg/L	Scallop	lgG	Very Low	1.57 mg/L	<1.95 mg/L <2 mg/L
Pine Nut	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Shrimp	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Pine Nut	lgG	Low	3.38 mg/L	<2 mg/L	Shrimp	lgG	Very Low	1.52 mg/L	<2 mg/L
Pistachio Nut	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Sole	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Pistachio Nut	lgG	Low	2.14 mg/L	<2 mg/L	Sole	lgG	Very Low	1.64 mg/L	<2 mg/L
Quinoa	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Squid	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Quinoa	lgG	Low	2.54 mg/L	<2 mg/L	Squid	lgG	Very Low	1.54 mg/L	<4 mg/L
Walnut	IgA	Very Low	0.00 mg/L	<1.95 mg/L	Tilapia	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Walnut	lgG	Moderate	5.52 mg/L	<2 mg/L	Tilapia	lgG	Very Low	1.52 mg/L	<2 mg/L
Legumes					Trout	lgA	Very Low	0.00 mg/L	<1.95 mg/L
-	A	<b>C</b> 1	Malaa	Very Low	Trout	lgG	Very Low	1.34 mg/L	<2 mg/L
Antigen Name	Analyte	Class	Value	Range	Tuna	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Chickpea	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Tuna	lgG	Very Low	3.60 mg/L	<4 mg/L
Chickpea	lgG	Low	2.72 mg/L	<2 mg/L	Fruits				
Green Bean	lgA	Very Low	1.76 mg/L	<1.95 mg/L	Antigen Name	Analyte	Class	Value	Very Low
Green Bean	lgG	Very Low	5.96 mg/L	<8 mg/L	-	-			Range
Green Pea	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Apple	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Green Pea Kidpov Boop	lgG	Low	2.88 mg/L	<2 mg/L	Apple	lgG	Very Low	4.67 mg/L	<5 mg/L
Kidney Bean Kidney Bean	lgA lgG	Very Low Very Low	0.00 mg/L 5.78 mg/L	<1.95 mg/L <8 mg/L	Apricot Apricot	lgA lgG	Very Low Low	0.00 mg/L 2.15 mg/L	<1.95 mg/L <2 mg/L
Nulley Bean	lgG lgA	Very Low	0.00 mg/L	<0 mg/L <1.95 mg/L	Banana	lgA	Very Low	2.15 mg/L 0.00 mg/L	<2 mg/L <1.95 mg/L
	lgA lgG	Low	3.22 mg/L	<1.95 mg/L <2 mg/L	Banana	lgG	Very Low	1.77 mg/L	<4 mg/L
Lima Bean	lgA	Very Low	0.00 mg/L	<1.95 mg/L	Blueberry	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Lima Bean	lgG	Low	2.51 mg/L	<2 mg/L	Blueberry	lgG	Very Low	7.76 mg/L	<8 mg/L
	J -		- · ·	<i>.</i> .		J -		<u> </u>	<u> </u>



**Complete Report** 

Patient: TEST PATIENT Sex: M/F Accession #: 00000000 Sample Type: DBS

Date of Birth: YYYY-DD-MM Age: #

IgA IgG [

CLIA #: 50D0965661 COLA accredited

Collected: YYYY-DD-MM Received: YYYY-DD-MM Completed: YYYY-DD-MM

Physician: TEST DOCTOR

Fruits (	Continued)
----------	------------

Fruits (Continued)				
Antigen Name	Analyte	Class	Value	Very Low
Cantaloupe	IgA	Very Low	1.18 mg/L	<b>Range</b> <1.95 mg/L
Cantaloupe	lgG	Very Low	6.41 mg/L	<12 mg/L
Cherry	IgA	Very Low	1.07 mg/L	<1.95 mg/L
Cherry	lgG	Very Low	4.69 mg/L	<5 mg/L
Cranberry	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Cranberry	lgG	Low	2.33 mg/L	<2 mg/L
Date	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Date	lgG	Very Low	4.80 mg/L	<5 mg/L
Fig	IgA	Very Low	1.65 mg/L	<1.95 mg/L
Fig	lgG	Low	11.37 mg/L	<10 mg/L
Grape	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Grape	lgG	Low	5.08 mg/L	<4 mg/L
Grapefruit	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Grapefruit	lgG	Low	3.05 mg/L	<2 mg/L
Guava	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Guava	lgG	Very Low	2.90 mg/L	<4 mg/L
Jackfruit	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Jackfruit	lgG	Low	3.37 mg/L	<2 mg/L
Kiwi	IgA	Very Low	1.15 mg/L	<1.95 mg/L
Kiwi	lgG	Very Low	3.71 mg/L	<4 mg/L
Lemon	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Lemon	lgG	Low	3.44 mg/L	<2 mg/L
Lime	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Lime	lgG	Very Low	3.11 mg/L	<4 mg/L
Mango	IgA	Very Low	0.49 mg/L	<1.95 mg/L
Mango	lgG	Low	2.41 mg/L	<2 mg/L
Olive	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Olive	lgG	Very Low	1.20 mg/L	<2 mg/L
Orange	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Orange	lgG	Low	3.02 mg/L	<2 mg/L
Рарауа	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Papaya	lgG	Low	4.21 mg/L	<4 mg/L
Peach	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Peach	lgG	Moderate	4.27 mg/L	<2 mg/L
Pear	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Pear	lgG	Very Low	1.21 mg/L	<2 mg/L
Persimmon	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Persimmon	lgG	Low	2.01 mg/L 0.00 mg/L	<2 mg/L <1.95 mg/L
Pineapple Pineapple	lgA IgG	Very Low Very Low	6.12 mg/L	<1.95 mg/L <8 mg/L
Plum	lgA	Very Low	0.12 mg/L 0.00 mg/L	<0 mg/L <1.95 mg/L
Plum	lgG	Low	3.04 mg/L	<1.95 mg/L <2 mg/L
Raspberry	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Raspberry	lgG	Very Low	3.91 mg/L	<1.35 mg/L <4 mg/L
Strawberry	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Strawberry	lgG	Low	3.87 mg/L	<3 mg/L
Watermelon	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Watermelon	lgG	Very Low	3.83 mg/L	<4 mg/L
	5-		<u> </u>	5.
Miscellaneous				
Antigen Name	Analyte	Class	Value	Very Low Range
Baker's / Brewer's Yeast	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Baker's / Brewer's Yeast	lgG	Low	2.44 mg/L	<2 mg/L
Black Tea	IgA	Very Low	1.77 mg/L	<1.95 mg/L
Black Tea	lgG	Low	6.54 mg/L	<6 mg/L
Button Mushroom	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Button Mushroom	lgG	Very Low	3.88 mg/L	<8 mg/L
Sugar	IgA	Very Low	0.00 mg/L	<1.95 mg/L
Cane Sugar	lgG	Moderate	13.01 mg/L	<8 mg/L
Cocoa Bean (Chocolate)	IgA	Very Low	2.95 mg/L	<5 mg/L

#### Miscellaneous (Continued)

miscenaneous (coi				
Antigen Name	Analyte	Class	Value	Very Low Range
Cocoa Bean (Chocolate)	lgG	Very Low	15.71 mg/L	<24 mg/L
Coffee Bean	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Coffee Bean	lgG	Very Low	4.47 mg/L	<8 mg/L
Flaxseed	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Flaxseed	lgG	Low	2.29 mg/L	<2 mg/L
Honey	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Honey	lgG	Very Low	3.07 mg/L	<4 mg/L
Hops	lgA	Low	2.10 mg/L	<1.95 mg/L
Hops	lgG	Very Low	7.58 mg/L	<10 mg/L
Sesame Seed	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Sesame Seed	lgG	Very Low	3.90 mg/L	<8 mg/L
Sunflower Seed	lgA	Very Low	0.00 mg/L	<1.95 mg/L
Sunflower Seed	lgG	Low	2.90 mg/L	<2 mg/L

#### **Candida Screen**

Antigen Name	Analyte	Class	Va
Candida albicans	IgA	Moderate	5.56
Candida albicans	lgG	Very Low	22.46

	Value	Very Low Range
e	5.56 mg/L	<1.95 mg/L
1	22.46 mg/L	<25 mg/L



## FoodStats Antibody Assessment

Test Results & Personalized Elimination/Rotation Diet Guideline



Accession: Practitioner: uideline Prepared:

## TEST PATIENT LAB ID:000000

0000000000 JOHN DOE DD/MM/YYYY





Dear Dr JOHN DOE:

Thank you for allowing NutriPATH to assist you in helping your patients towards a healthier lifestyle.

The enclosed report consists of information regarding your patient's immune system's response to certain foods. Depending on which test(s) you ordered, three antibody types: IgA, IgE, and IgG may have been measured in our laboratory utilizing an Enzyme-linked Immunosorbent Assay (ELISA) and Chemiluminescent Assay.

Also attached is a rotation diet guideline. The concept behind rotation-style eating is to eliminate foods that scored high for reactivity and to rotate consumption of foods that scored mild - moderate reactivity. The rotation diet guideline is designed so the patient does not consume the same food more than once every four days and no foods of the same family more than once every two days. Rotation-style eating is designed to encourage diversification of the diet.

## The guideline excludes all tested foods on which your patients scored Class III or greater for IgA and/or IgG antibody analysis and/or Class 0/I and greater for IgE antibody analysis.

The guideline includes all IgA and/or IgG tested foods on which your patient scored Class 0 to Class III. These foods are rotated throughout a 4-day cycle by their food families (groups of foods that are biologically or botanically related). The 4-day rotation plan alternates the food families based on a day 1 and 3, or day 2 and 4 cycle. Patients may move any food through days 1 to 4 as long as members of the same family are not consumed on consecutive days, and any particular food is not consumed more than once every four days.

Health care practitioners are responsible for interpreting the profile of test results provided by NutriPATH, applying those results to your patient and recommending dietary changes based on these and other data available to you. NutriPATH provides this rotation diet guideline for your consideration only. This is just one suggested rotation schedule. You may prefer a different, but similar, diet guideline for your patients, such as a 7-day plan. Also, you may want to modify the guideline by limiting a particular food family to one day of the rotation cycle vs. two days. If you have any questions about the attached guideline, please let us know.

We wish you and your patient all the best,

NutriPATH Pathology

## TEST PATIENT LAB ID 0000000000

### **Report Summary**

The following classifications correspond to the Reaction Class noted on your Food Antibody Assessment report. The classification of 0 to IV identifies the level of food-specific-antibodies measured from your blood sample via US BioTek Laboratories' semi-quantitative ELISA (Enzyme-linked Immunosorbent Assay) and quantitative Chemiluminescent Assay. Not all antibody tests (i.e.: IgA, IgE and IgG) may have been ordered by your practitioner.

These foods are **<u>omitted</u>** from the 4-day rotation guideline:

IgE: Class 0/I and greater		
(not tested)		

If IgE was tested along with IgA and/or IgG, any food that scored Class 0/I and greater for IgE is *listed above* irrespective of IgA or IgG antibody levels.

Class III/IV (High to Very High an	(High to Very High antibody levels)				
lgA:	IgA & IgG:	lgG:			
(none)	(none)	Peach			

These foods are **included** in the 4-day rotation guideline. Consult with your practitioner on the exclusion of these foods from your diet:

Class II (Moderate antibody levels)					
lgA:	lgA & lgG:	lgG:			
(none)	(none)	Example text			

Class I (Low antibody levels)		
lgA:	lgA & lgG:	lgG:
Green Bean	(none)	Example text

This report does not identify anaphylaxis. Avoid all foods to which you have had an anaphylactic reaction (consult your practitioner).

IgE antibody testing is not available through the Dried Blood Spot Collection Kit.

## Your Personal Rotation Diet Guideline

All of the tested foods are listed excluding Class III and greater for IgA and/or IgG antibody analysis and Class 0/I and greater for IgE antibody analysis, as identified on your Food-Specific Antibody Assessment graph.

The 4-day rotation plan alternates the food families based on a day 1 and 3, or day 2 and 4 cycle, where no particular food item is eaten more than once every 4 days. This is not a mandatory food menu. Pick, choose and improvise as you like for a nutritionally balanced and varied diet.

	Day 1	Day 2	Day 3	Day 4
Dairy	Example Text		Example Text	
Fish, Crustacea, Mollusk	Example Text	Example Text	Example Text	Example Text
Fruits	Example Text	Example Text	Example Text	Example Text
Grains, Legumes, Nuts	Example Text	Example Text	Example Text	Example Text
Meat, Fowl	Example Text	Example Text	Example Text	
Miscellaneous	Example Text		Example Text	
Spices		Example Text	Example Text	
Vegetables	Example Text	Example Text	Example Text	Example Text

This report does not identify anaphylaxis. Avoid all foods to which you have had an anaphylactic reaction (consult your practitioner).

## For Your Convenience

\_\_\_\_\_



