



# SAMPLE REPORT

## 09-May-1990 Female

P: 1300 688 522  
E: info@nutripath.com.au

16 HARKER STREET  
BURWOOD VIC 3125

Dr.SAMPLE REPORT  
TEST HEALTH CENTRE  
123 TEST STREET  
BURWOOD VIC 3125

LAB ID : 3814251  
UR NO. :  
Collection Date : 09-May-2022  
Received Date:09-May-2022



3814251

### BIOCHEMISTRY

BLOOD - SERUM	Result	Range	Units	
<b>RHEUMATOID FACTOR</b>	<b>16</b>	< 20	IU/mL	
<b>Anti-CCP Antibody</b>	<b>7.8 *H</b>	< 7.0	units/mL	

#### BIOCHEMISTRY COMMENTS

aCCP Comment:

An elevated CCP level can be found in a significant number of patients with rheumatoid arthritis who have a negative RF.

CCP antibodies may be detected in about 50-60% of patients with early RA (3-6 months after the beginning of symptoms).

Test performed by accredited laboratory NATA: 2133

### IMMUNOLOGY

BLOOD - SERUM	Result	Range	Units	
<b>DS-DNA BINDING</b>	<b>&lt;7.0</b>	0.0 - 10.0	IU/mL	
<b>ANTINUCLEAR AB</b>				
<b>DETECTED</b>				

TITRE: 320

**PATTERN:** SPECKLED

#### Comment:

A SPECKLED pattern may be associated with specific systemic rheumatic disorders and non-specific chronic inflammatory conditions. Suggest further testing for antibodies to dsDNA and ENA.

Test performed by accredited laboratory NATA: 2133

**ANTI-MITOCHONDRIAL ANTIBODIES** Negative

**ANTI-SMOOTH MUSCLE ANTIBODIES** Negative

#### ENA SCREEN

**EXTRACTABLE NUCLEAR ANTIGEN SCREEN:** Not Detected

#### Comment:

The following antigens are tested in the ENA screening assay: SSA, SSB, Sm, RNP, Scl-70, Jo-1.

Test performed by accredited laboratory NATA: 2133

Tests ordered: ENA,ANA,DNA,RF,aCCP,AMA,SMA

(\*) Result outside normal reference range

(H) Result is above upper limit of reference rang